



COLUMN REFRIGERATION

WINE RESERVE



Shown with optional stainless steel door overlay panel.

Shown with convertible shelf in display mode.

JOB	
AREA	
ITEM NO.	
MODEL NO.	

Description	Single Zone	Dual Zone
Wine Column, Glass Door, Hinged Left, SS Sides	CC24W-1-4L	CC24D-1-4L
Wine Column, Glass Door, Hinged Right, SS Sides	CC24W-1-4R	CC24D-1-4R




SPECIFICATIONS		SINGLE ZONE	DUAL ZONE
NUMBER OF DOORS		1	1
EXTERIOR CABINET DIMENSIONS	Length - in. (mm)	23-3/4" (603)	23-3/4" (603)
	Depth - in. (mm) w/o overlay panel	24-1/16* (611)	24-1/6** (611)
	Height - in. (mm)	84" (2134)	84" (2134)
INTERIOR CABINET DIMENSIONS	Length - in. (mm)	19-3/4" (502)	19-3/4" (502)
	Depth - in. (mm)	18" (457)	18" (457)
	Height - in. (mm)	61-1/8" (1552)	61-1/8" (1552)
INTERNAL VOLUME Net. Cu. Ft. (Litres)		12.6 (357)	12.2 (345)
PRODUCT CAPACITY 750ml bottles	8 bottles on 11 fixed shelves 6 bottles on 1 display shelf	11-1	10-1
		94	86
SHIPPING WEIGHT Lbs. (kg.)		534	541
ELECTRICAL SPECIFICATIONS	Electrical Supply	115/60Hz/1PH	115/60Hz/1PH
	Running Load Amps	2.6	2.6
	Electrical Connection	Cord Connected NEMA 5-15P	Cord Connected NEMA 5-15P
	Defrost Type	Off Cycle	Off Cycle
	Lighting Type	LED	LED
REFRIGERANT	R600a Isobutane	53 grams	53 grams
	Temperature Range (F)	40° - 68° F	40° - 68° F
ACCESSORIES	36" Two Tone Polished Chrome and Stainless Steel handle		
	Field Installed Stainless Steel overlay for glass door (Left or Right hinged)		

*Without overlay panel




**COLUMN REFRIGERATION
WINE RESERVE**



Perlick® COLUMN REFRIGERATION WINE RESERVE

ADJACENT WALL OR STRUCTURE MINIMUM CLEARANCE REQUIREMENTS




WHEN BUILDING INTO STRUCTURE OR NEXT TO ADJACENT WALLS REFERENCE THIS DRAWING FOR MINIMUM REQUIRED CLEARANCES TO AVOID INTERFERENCE WHEN OPENING THE DOOR(S).

THE ADJACENT STRUCTURE CLEARANCES INDICATED ARE BASED ON A STANDARD PERLICK HANDLE INSTALLED ON THE DOOR OVERLAY.

MINIMUM SPACING REQUIRED BETWEEN ADJACENT CABINETS TO AVOID DOOR SWING INTERFERENCE.

(A) 2 Cabinets HANDLE TO HANDLE.


Refer to **(A&B) Opening** diagram (page 8) for finished opening dimensions and outlet locations.



(A) HANDLE TO HANDLE

(B) 2 Cabinets HINGE TO HINGE.

Refer to **(A&B) Opening** diagram (page 8) for finished opening dimensions and outlet locations.



(B) HINGE TO HINGE




MINIMUM SPACING REQUIRED BETWEEN ADJACENT CABINETS TO AVOID DOOR SWING INTERFERENCE CONTINUED.

Opening Dimensions

(C) 2 Cabinets HANDLE TO HINGE.


Refer to **(C) Opening** diagram (page 8) for finished opening dimensions and outlet locations.



(C) HANDLE TO HINGE

(D) 3 Cabinets with Hinges either all left or all right.


Refer to **(D) Opening** diagram (page 8) for finished opening dimensions and outlet locations.



(D) -HINGE CONFIGURATIONS
LEFT - LEFT - LEFT
RIGHT - RIGHT - RIGHT
NO CABINETS PHYSICALLY
JOINED TOGETHER

(E) 3 Cabinets with Hinges Left-Right-Left or Right-Left-Right.


Refer to **(E) Opening** diagram (page 9) for finished opening dimensions and outlet locations.



(E) -HINGE CONFIGURATIONS
LEFT - RIGHT - LEFT
RIGHT - LEFT - RIGHT
ALL CABINETS PHYSICALLY
JOINED TOGETHER

(F) 3 Cabinets with Hinges Left-Left-Right or Right-Right-Left.

Refer to **(F) Opening** diagram (page 9) for finished opening dimensions and outlet locations.



(F) -HINGE CONFIGURATIONS
LEFT - LEFT - RIGHT
RIGHT - RIGHT - LEFT
(2) CABINETS PHYSICALLY JOINED TOGETHER




**COLUMN REFRIGERATION
WINE RESERVE**

MINIMUM SPACING REQUIRED BETWEEN ADJACENT CABINETS TO AVOID DOOR SWING INTERFERENCE CONTINUED.




(G) 3 Cabinets with Hinges Right-Left-Left or Left-Right-Right.

Refer to **(G) Opening** diagram (page 9) for finished opening dimensions and outlet locations.



(G) - HINGE CONFIGURATIONS
 RIGHT - LEFT - LEFT
 LEFT - RIGHT - RIGHT
 (2) CABINETS PHYSICALLY JOINED TOGETHER



FINISHED OPENING DIMENSIONS FOR 2 AND 3 UNIT INSTALLATIONS.





**COLUMN REFRIGERATION
WINE RESERVE**

**FINISHED OPENING DIMENSIONS FOR 2 AND 3 UNIT INSTALLATIONS
CONTINUED.**



Note:

For installations involving more than 3 cabinets, combine opening dimensions for the openings which correspond to the combined Hinge and Handle configurations.