



# Electrolux

## Hand held Mixers Bermixer PRO 450W with Stainless Steel Tube 18" with constant pressure switch

ITEM #

MODEL #

NAME #

SIS #

AIA #



Hand held Mixers

Bermixer PRO 450W with Stainless Steel Tube 18"  
" with constant pressure switch

600353  
(BP4545U)

BERMIXER PRO 450W 18" S/S Tube with  
Constant Pressure Switch

### Short Form Specification

#### Item No.

Bermixer PRO, portable, hand held immersion blender, variable speed, handle grip, with 18" stainless steel cutter tube, 1/2 HP, 450 watt, 115v/60/1, 4.1 amps. Stainless steel tubes (various lengths) and whisk available upon request as an accessory, to mix, liquidize, whip or emulsify.

IP55 water protected control panel.

With NEMA 5-15P Plug

With Constant Pressure Switch



### Main Features

- Parts in contact with food - tube, blade, shaft - can be completely dismantled without tools for easy cleaning.
- Delivered with:
  - flat base motor
  - stainless steel tube
  - space saving storing wall support.
- Light weight, ergonomic grip and adjustable speeds make preparation tasks fast and easy.
- Anti-splash bell knife design.
- Bayonet system makes fast and simple to exchange tools.
- Overheating warning red indicator.
- Tube, knife and whisks are dishwasher safe.
- Safety feature requires both hands to start the mixer (no volt release system).
- Removable rotor and mechanism to facilitate cleaning.
- Convenient grip and adjustable speeds make preparation tasks fast and easy.
- Very easy to use, assemble and dismantle.
- Bayonet system to easily remove accessories without the use of tools.
- Red luminous indicator flashes when the device is overloaded.
- Its light weight ensures an optimum comfort for the user.
- Thanks to its electronic speed variator, a quick press with the thumb on the selector is all you need to change speeds.
- Productivity suitable for 50 to 300 meals per service.

### Construction

- Power: 450 watts (1/2 HP).
- Maximum speed 9000 rpm.
- Motor has an air cooling system and is protected against overheating (in case of long intensive work).
- Smart speed control to ensure the right power according to the work load.
- Motor protected from overload by a terminal fuse (alert system).

### Included Accessories

- 1 of BermixerPRO Stainless Steel cutter tube 18in (453mm) PNC 650133

### Optional Accessories

- BermixerPRO Stainless Steel cutter tube 14in (353mm) ☐ PNC 650132
- BermixerPRO Stainless Steel cutter tube 18in (453mm) ☐ PNC 650133
- BermixerPRO Stainless Steel cutter tube 22in (553mm) ☐ PNC 650134
- BermixerPRO adjustable rail, for containers 15in - 26in ☐ PNC 653292
- BermixerPRO bowl cradle for containers ☐ PNC 653294

APPROVAL:

Electrolux Professional, Inc.

[www.electroluxusa.com/professional](http://www.electroluxusa.com/professional)

10200 David Taylor Drive, Charlotte, NC 28262 • Telephone Number: 866-449-4200 • Fax Number: 704-547-7401

**Electrolux**

Bermixer PRO 450W with Stainless Steel Tube 18" with constant pressure switch

Hand held Mixers



**Electrolux**

**Hand held Mixers**  
**Bermixer PRO 450W with Stainless Steel**  
**Tube 18" with constant pressure switch**

- BermixerPRO reinforced whisk 10in


PNC 653578 □




**Electrolux**

**Hand held Mixers**  
**Bermixer PRO 450W with Stainless Steel**  
**Tube 18" with constant pressure switch**

Front




Top



El = Electrical connection

Side



**Electric**

**Supply voltage:**

**600353 (BP4545U)**

110-120 V/1N ph/50/60 Hz

**Total Watts:**

0.45 kW

**Plug type:**

USA NEMA 5-15P

**Key Information:**

**External dimensions, Width:** 5 7/16" (138 mm)

**External dimensions, Depth:** 4 3/4" (120 mm)

**External dimensions, Height:** 30 1/8" (765 mm)

**Shipping width:** 14 9/16" (370 mm)

**Shipping depth:** 27 9/16" (700 mm)

**Shipping height:** 5 1/8" (130 mm)

**Shipping weight:** 10 lbs (4.7 kg)