


365-NS3M-A-49-64 Line-up



365-N30A-A-55-A&B

The 365 Ambient Display Case/Showcase, features (3) lengths: 43.08" , 63.74" , 84.41" with (1) or (2) shelves. It is non-refrigerated, dry, ambient temperature. It has tempered heated double pane glass front & sides, hydraulic tilt back front glass, & rear plexiglass sliding doors. It features front lower glass fascia (glass is back painted), LED lighting & silver painted side panels. The units have 304 high gloss stainless steel interior & a service merchandiser.

Model No.	Application	Description	Height	Length	Depth	Crated Weight	Voltage	Amps
365-NS2M-A-49-43	Ambient	Ambient and one non refrigerated shelf	49.25"	43.08"	47.44"	723#	115/60/1	5
365-NS2M-A-55-43	Ambient	Ambient and two non refrigerated shelves	55.25"	43.08"	47.44"	875#	115/60/1	5
365-NS3M-A-49-64	Ambient	Ambient and one non refrigerated shelf	49.25"	63.74"	47.44"	934#	115/60/1	5
365-NS3M-A-55-64	Ambient	Ambient and two non refrigerated shelves	55.25"	63.74"	47.44"	723#	115/60/1	5
365-NS4M-A-49-84	Ambient	Ambient and one non refrigerated shelf	49.25"	84.41"	47.44"	875#	115/60/1	5
365-NS4M-A-55-84	Ambient	Ambient and two non refrigerated shelves	55.25"	84.41"	47.44"	934#	115/60/1	5
365-N30A-A-49-A&B	Curved Ambient	Ambient and one non refrigerated shelf	49.25"	A & B	47.44"	723#	115/60/1	5
365-N30A-A-55-A&B	Curved Ambient	Ambient and two non refrigerated shelves	55.25"	A & B	47.44"	875#	115/60/1	5
365-N30C-A-49-A&B	Curved Ambient	Ambient and one non refrigerated shelf	49.25"	A & B	47.44"	934#	115/60/1	5
365-N30C-A-55-A&B	Curved Ambient	Ambient and two non refrigerated shelves	55.25"	A & B	47.44"	723#	115/60/1	5
365-N45A-A-49-A&B	Curved Ambient	Ambient and one non refrigerated shelf	49.25"	A & B	47.44"	875#	115/60/1	5
365-N45A-A-55-A&B	Curved Ambient	Ambient and two non refrigerated shelves	55.25"	A & B	47.44"	934#	115/60/1	5

Features


- An Innovative "All Season Convertible" Model
- Back Painted Front Glass Fascia in RAL Color Options
- Low Temp to Medium Temp Conversion Capability, with Retractable Glass Shelves
- Available in Linear, 30 and 45 Degrees Curved Designs
- Two Height Profile Options: 49.25" and 55.25"
- Low Profile Pan Display on Gelato/Ice Cream Application
- Tempered Double Pane Front and Side Glass
- Hydraulic Tilt Back Front Glass
- Self-Contained, Air Cooled Condensing Unit
- Galvanized Steel Chassis Construction
- Insulated / Non-Cfc Ecologic Polyurethane Foam

- Inside Structure / High Gloss 304 Stainless Steel
- Tempered, Double Pane Glass
- Hydraulic Tilt-Back Front Glass
- Rear, Plexiglass Sliding Doors
- Standard Silver Lacquered Side Panels
- Multiplexing Capability
- Temperature Range: Ambient


Optional Features

- Rear Sliding Double Pane Glass Doors
- Casters
- Granite Work Surface (Operator Side)
- RAL Custom Color Options

SIDE VIEW
49.25" High



SIDE VIEW
55.25" High




ORION by CLABO


HMC Enterprises LLC, 831 East Cayuga Street, Philadelphia, PA. 19124 Ph: 1-800-344-8222 • 215-464-6800 • www.ORIONbyClabo.com

Revised 10/2018



PLAN VIEW





PLAN VIEW





REAR VIEW





REAR VIEW



FRONT VIEW



FRONT VIEW



Intertek




Intertek

Required ambient conditions:
75°F; 55% Relative Humidity
Drawings and Specification are subject to change without notice.



ELECTRICAL CONNECTION:
Display cases are shipped with applicable junction box for hardwired installation
Options exist for several NEMA configurations
Plug and/or receptacle configurations are at the discretion of the electrical installer

Product Specification Sheet
Model Style: 365 - Ambient
 84.41" Length - Plan Views, Rear View, Front Views


PLAN VIEW



REAR VIEW



FRONT VIEW



Required ambient conditions: 75°F; 55% Relative Humidity
 Drawings and Specification are subject to change without notice.




ELECTRICAL CONNECTION:
 Display cases are shipped with applicable junction box for hardwired installation
 Options exist for several NEMA configurations
 Plug and/or receptacle configurations are at the discretion of the electrical installer

Product Specification Sheet

Model Style: 365 - Ambient Curved


A30, C30, A45 - Plan Views, Rear View, Front Views

A30




PLAN VIEW


C30



PLAN VIEW




REAR VIEW




REAR VIEW

A45



PLAN VIEW



REAR VIEW



Intertek

Required ambient conditions:
75°F; 55% Relative Humidity
Drawings and Specification are subject to change without notice.



Intertek

ELECTRICAL CONNECTION:
Display cases are shipped with applicable junction box for hardwired installation
Options exist for several NEMA configurations
Plug and/or receptacle configurations are at the discretion of the electrical installer

ORION by CLABO

HMC Enterprises LLC, 831 East Cayuga Street, Philadelphia, PA. 19124 Ph: 1-800-344-8222 • 215-464-6800 • www.ORIONbyClabo.com

Revised 10/2018